

Rice Protein leave in conditioner


[Log Out](#)
[Return to dashboard](#)
[Back](#)

Conditioner - Leave In

Ingredients

Phase	%w/w input	Ingredient
A	81.10	Water
B	5.00	Propanediol
B	1.00	Guar Gum
C	1.20	Behentrimonium chloride (85%), Isopropyl Alcohol (Incroquat Behenyl TMC-85)
C	4.00	Glyceryl stearate, Polyglyceryl-6 palmitate/succinate, cetearyl alcohol (Natragem EW)
C	3.00	Blackcurrant oil
D	0.50	Polyquaternium-7 (Merquat 550PR)
D	1.00	Phenoxyethanol, Ethylhexylglycerin (Euxyl PE9010)
D	2.00	Hydroxypropyltrimonium Hydrolyzed Rice Protein (Quaternized Rice Shine)

Rice Protein leave in conditioner

D	1.00	Witch hazel extract - glycerin
D	0.20	Tocopherols - mixed
	q.s.	pH Adjuster

**Method**

1. Measure out phase A.
2. Heat phase A/B to 80°C. Combine phase C and to phase A/B under high shear stirring and mix until waxes are melted and a smooth, glossy, homogenous emulsion forms.
3. Allow mixture to cool under low shear stirring until <40°C. Add phase D and stir through under low shear until homogenous.
4. Allow to cool <25°C under low shear stirring. Check/adjust pH to 4.3 - 4.8. Full viscosity will be achieved the next day, do not evaluate on the day you make it. Cover and allow to set overnight and give a final stir the next day before packing off.

Disclaimer: This formula and method has been developed based on the theoretical selection of listed ingredients; all costs associated with producing a sample of this product is the user's responsibility including any reworks or fails. IPCS recommends a 100g lab scale sample be made and pilot production prior to full scale production.

Please refer to supplier Safety Data Sheets (SDS/MSDS) to ensure safe handling of all raw materials. IPCS holds no responsibility for inappropriate use of materials selected, the formulation or method, in part or as a whole.

It is a condition of use of this formula and method that the user holds full responsibility for ensuring safe and correct use and storage of any materials they source and use, as well as ensuring compliance with local regulations and 'clean product preparation' steps are followed when producing samples, especially for use by others. Evaluations of the safety, stability and suitability of this formula, method and finished product are the sole responsibility of the user.

The information provided on this site is of a theoretical and general nature and does not represent brand or product specific advice. IPCS shall not be responsible for any damages resulting from use of or reliance on this information.

INCI names provided on this site are used as a guide to assist with selections and product descriptions. Users will need to source and check full material information from their suppliers and prepare compliant ingredient lists specific to the materials they actually use.